IN THE CLAIMS

The status of the claims is as follows:

1. (Currently Amended) A signal describing method for describing [a] feature data characteristic of the content of an input data, comprising the steps of:

dividing said input data into a plurality of segments;

calculating features of a respective segment, wherein a color feature is calculated by denoting a color histogram; and

measuring similarities between segments based on their calculated features;

wherein said feature data is described using descriptors each having its attributes defined as lower-level elements a descriptor being a unit element defining a describing procedure are structured to have its attribute defined as lower-level element and may include other descriptor as attribute.

- 2. (Original) The method as set forth in Claim 1, wherein the input data includes at least one of visual data and audio data included in a video data.
- 3. (Original) The method as set forth in Claim 1, wherein the descriptor is generated to inherit functions from a higher-class descriptor including the capability of structuring.
- 4. (Currently Amended) The method as set forth in Claim 1, wherein the attribute as the lower-level element element is structured by defining the attribute of the descriptor and/or a special attribute.
- 5. (Currently Amended) A data processor for generating [a] feature data characteristic of the content of an input data, comprising:



dividing means for dividing said input data into a plurality of segments;

calculating means for calculating features of a respective segment, said calculating means being operable to calculate a color feature denoting a color histogram; and

measuring means for measuring similarities between segments based on their calculated features;

wherein said feature data is described using descriptors each having its attributes defined as lower-level elements

means for generating a feature data on the basis of a descriptor being a unit element defining a describing procedure and which is structured to have its attribute defined as lower level element and may include other descriptor as attribute.

- 6. (Original) The apparatus as set forth in Claim 5, wherein the input data includes at least one of visual data and audio data included in a video data.
- 7. (Original) The apparatus as set forth in Claim 5, wherein the descriptor is generated to inherit functions from a higher-class descriptor including the capability of structuring.
- 8. (Original) The apparatus as set forth in Claim 5, wherein the attribute as the lower-level element is structured by defining the attribute of the descriptor and/or a special attribute.
- 9. (Original) The apparatus as set forth in Claim 5, wherein the feature data is sent along with the input data to an external apparatus.



10. (Currently Amended) A data processor for utilizing [a] feature data characteristic of the content of an input data, comprising:

dividing means for dividing said input data into a plurality of segments;

calculating means for calculating features of a respective segment, said calculating means being operable to calculate a color feature denoting a color histogram;

measuring means for measuring similarities between segments based on their calculated features; and

means for restoring a feature of the content of the input data by utilizing the using feature data described with descriptors each having its attributes defined as lower-level elements generated on the basis of a descriptor being a unit element defining a describing procedure and which is structured to have its attribute defined as lower-level element and may include other descriptor as attribute.

- 11. (Original) The apparatus as set forth in Claim 10, wherein the input data includes at least one of visual data and audio data included in a video data.
- 12. (Original) The apparatus as set forth in Claim 10, wherein the descriptor is generated to inherit functions from a higher-class descriptor including the capability of structuring.
- 13. (Original) The apparatus as set forth in Claim 10, wherein the attribute as the lower-level element is structured by defining the attribute of the descriptor and/or a special attribute.
- 14. (Canceled)
- 15. (Original) The apparatus as set forth in Claim 10, wherein the feature data is received along with the input data from an external apparatus.



